



## 1 STANDARD

- traditional panel shape
- reinforced for installation of hinges
- polyurethane foam core free from HFCKW
- double-side hot-dip galvanizing
- 25 µm PES Polyester
- $U = 0,50 \text{ W/m}^2\text{K}$
- $R = 25\text{dB}$



## 2 PROTECT

- finger safe protection
- polyurethane foam core free from HFCKW
- double-side hot-dip galvanizing
- 25 - 35 µm PES Polyester
- $U = 0,50 \text{ W/m}^2\text{K}$
- $R = 25\text{dB}$



## Color shades in RAL and NCS

**RAL** – best used system for determination of color shade in the industry of sectional doors; RAL numbers have four positions (1<sup>st</sup> position indicates group of color shade, 2<sup>nd</sup> position is always 0, last two positions specify color shade e.g. **6009**, **5010**).

**NCS** – is a proprietary perceptual color model based on the color opponency description of color vision; colors are defined by three values (specifying the amount of blackness, saturation, and a percentage value between two of the colors red, yellow, green or blue e.g. **2030-Y90R**, **0580-Y10R**).



**25**  
YEARS

DOORS ARE




**TOORS**


**INDY**

**PANELS**


**STANDARD**



Lamella stucco




Lamella stucco



Lamella stucco



Lamella stucco



Lamella stucco



Lamella stucco

<b>Code - color</b> <sup>1)</sup>
<b>Height [mm]</b> <sup>2)</sup>
<b>Passdoor / FVE</b> <sup>3)</sup>
<b>Structure</b> <sup>4)</sup>

<b>533 - 9010 / 9002</b>
500; 610
Yes / Yes
Stucco / Stucco

<b>531 - 9002 / 9002</b>
500; 610
Yes / Yes
Stucco / Stucco

<b>532 - 9006 / 9002</b>
500; 610
Yes / Yes
Stucco / Stucco

<b>536 - 9007 / 9002</b>
500; 610
Yes / Yes
Stucco / Stucco


<b>534 - 7016 / 9002</b>
500; 610
Yes / Yes
Stucco / Stucco

<b>535 - 5010 / 9002</b>
610
Yes / Yes
Stucco / Stucco


**STANDARD**




Lamella stucco



Lamella stucco



Lamella stucco



Lamella stucco

<b>Code - color</b> <sup>1)</sup>
<b>Height [mm]</b> <sup>2)</sup>
<b>Passdoor / FVE</b> <sup>3)</sup>
<b>Structure</b> <sup>4)</sup>

<b>538 - 8014 / 9002</b>
610
Yes / Yes
Stucco / Stucco

<b>540 - 7021 / 9002</b>
610
Yes / Yes
Stucco / Stucco

<b>542 - 9005 / 9002</b>
500; 610
Yes / Yes
Stucco / Stucco

<b>531 - 80 - 9002 / 9002</b>
610
No / Yes
Stucco / Stucco

**STANDARD**



V-profil smooth



V-profil smooth



V-profil smooth

<b>Code - color</b> <sup>1)</sup>
<b>Height [mm]</b> <sup>2)</sup>
<b>Passdoor / FVE</b> <sup>3)</sup>
<b>Structure</b> <sup>4)</sup>

<b>539 - 9006 / 9002</b>
610
Yes / Yes
Smooth / Stucco

<b>543 - 9006 / 9002</b>
610
Yes / Yes
Smooth / Stucco

<b>544 - 7016 / 9002</b>
610
Yes / Yes
Smooth / Stucco

<sup>1)</sup>Color of panel: outer side / inner side; <sup>2)</sup>Active height of panel contribute to the door height; <sup>3)</sup>FVE - aluminum frame section; <sup>4)</sup>Surface structure of panel: outer side / inner side;

**25**  
YEARS

DOORS ARE




**TOORS**


**INDY**

**PANELS**


**PROTECT**




Lamella stucco



Lamella stucco




Lamella stucco



Lamella stucco



Lamella stucco



Lamella stucco

<b>Code - color <sup>1)</sup></b>
<b>Height [mm] <sup>2)</sup></b>
<b>Passdoor / FVE <sup>3)</sup></b>
<b>Structure <sup>4)</sup></b>

<b>672 - 9010 / 9010</b>
500; 610
Yes / Yes
Stucco / Stucco

<b>671 - 9002 / 9010</b>
500; 610
Yes / Yes
Stucco / Stucco


<b>673 - 9006 / 9010</b>
500; 610
Yes / Yes
Stucco / Stucco

<b>694 - 9007 / 9010</b>
610
Yes / Yes
Stucco / Stucco


<b>674 - 1021 / 9010</b>
500; 610
Yes / Yes
Stucco / Stucco

<b>675 - 3000 / 9010</b>
610
Yes / Yes
Stucco / Stucco


**PROTECT**




Lamella stucco




Lamella stucco



Lamella stucco



Lamella stucco



Lamella stucco

<b>Code - color <sup>1)</sup></b>
<b>Height [mm] <sup>2)</sup></b>
<b>Passdoor / FVE <sup>3)</sup></b>
<b>Structure <sup>4)</sup></b>

<b>676 - 5010 / 9010</b>
610
Yes / Yes
Stucco / Stucco

<b>677 - 6009 / 9010</b>
610
Yes / Yes
Stucco / Stucco

<b>679 - 8014 / 9010</b>
610
Yes / Yes
Stucco / Stucco

<b>678 - 7016 / 9010</b>
610
Yes / Yes
Stucco / Stucco

<b>684 - 9005 / 9010</b>
610
Yes / Yes
Stucco / Stucco


**PROTECT**




V-profile smooth



V-profile smooth




Flat stucco



Flat smooth



Flat woodgrain



Flat smooth

<b>Code - color <sup>1)</sup></b>
<b>Height [mm] <sup>2)</sup></b>
<b>Passdoor / FVE <sup>3)</sup></b>
<b>Structure <sup>4)</sup></b>

<b>687 - 9006 / 9010</b>
500; 610
Yes / Yes
Smooth / Stucco

<b>682 - 7016 / 9010</b>
500; 610
Yes / Yes
Smooth / Stucco

<b>699 - 9016 / 9010</b>
500; 610
Yes / Yes
Stucco / Stucco

<b>667 - 9016 / 9010</b>
500; 610
Yes / Yes
Smooth / Stucco

<b>669 - 9016 / 9010</b>
500; 610
Yes / Yes
Woodgrain / Stucco

<b>668 - 7016 / 9010</b>
500; 610
Yes / Yes
Smooth / Stucco

<sup>1)</sup>Color of panel: outer side / inner side; <sup>2)</sup>Active height of panel contribute to the door height; <sup>3)</sup>FVE - aluminum frame section; <sup>4)</sup>Surface structure of panel: outer side / inner side