

25
YEARS

DOORS ARE



TOORS


INDY

PANELS

TYPES OF PANELS

1 STANDARD

- traditional panel shape
- reinforced for installation of hinges
- polyurethane foam core free from HFCKW
- double-side hot-dip galvanizing
- 25 µm PES Polyester
- $U = 0,50 \text{ W/m}^2\text{K}$
- $R = 25\text{dB}$



2 PROTECT

- finger safe protection
- polyurethane foam core free from HFCKW
- double-side hot-dip galvanizing
- 25 - 35 µm PES Polyester
- $U = 0,50 \text{ W/m}^2\text{K}$
- $R = 25\text{dB}$



PAINTING

Color shades in RAL and NCS

RAL – best used system for determination of color shade in the industry of sectional doors; RAL numbers have four positions (1st position indicates group of color shade, 2nd position is always 0, last two positions specify color shade e.g. **6009, 5010**).

NCS – is a proprietary perceptual color model based on the color opponency description of color vision; colors are defined by three values (specifying the amount of blackness, saturation, and a percentage value between two of the colors red, yellow, green or blue e.g. **2030-Y90R, 0580-Y10R**).



25
YEARS

DOORS ARE



TOORS

INDY

PANELS

STANDARD						
	Lamella stucco	Lamella stucco	Lamella stucco	Lamella stucco	Lamella stucco	Lamella stucco
Code – color ¹⁾	533 – 9010 / 9002	531 – 9002 / 9002	532 – 9006 / 9002	536 – 9007 / 9002	534 – 7016 / 9002	535 – 5010 / 9002
Height [mm] ²⁾	500; 610	500; 610	500; 610	500; 610	500; 610	610
Passdoor / FVE ³⁾	Yes / Yes	Yes / Yes	Yes / Yes	Yes / Yes	Yes / Yes	Yes / Yes
Structure ⁴⁾	Stucco / Stucco	Stucco / Stucco	Stucco / Stucco	Stucco / Stucco	Stucco / Stucco	Stucco / Stucco

STANDARD					
	Lamella stucco	V-profil smooth	Lamella stucco	Lamella stucco	Lamella stucco
Code – color ¹⁾	538 – 8014 / 9002	539 – 9006 / 9002	540 – 7021 / 9002	542 – 9005 / 9002	531 – 80 – 9002 / 9002
Height [mm] ²⁾	610	610	610	500; 610	610
Passdoor / FVE ³⁾	Yes / Yes	Yes / Yes	Yes / Yes	Yes / Yes	No / Yes
Structure ⁴⁾	Stucco / Stucco	Smooth / Stucco	Stucco / Stucco	Stucco / Stucco	Stucco / Stucco

PROTECT						
	Lamella stucco	Lamella stucco	Lamella stucco	Lamella stucco	Lamella stucco	Lamella stucco
Code – color ¹⁾	672 – 9010 / 9010	671 – 9002 / 9010	673 – 9006 / 9010	694 – 9007 / 9010	674 – 1021 / 9010	675 – 3000 / 9010
Height [mm] ²⁾	500; 610	500; 610	500; 610	610	500; 610	610
Passdoor / FVE ³⁾	Yes / Yes	Yes / Yes	Yes / Yes	Yes / Yes	Yes / Yes	Yes / Yes
Structure ⁴⁾	Stucco / Stucco	Stucco / Stucco	Stucco / Stucco	Stucco / Stucco	Stucco / Stucco	Stucco / Stucco

¹⁾ Color of panel: outer side / inner side; ²⁾ Active height of panel contribute to the door height; ³⁾ FVE – aluminum frame section;

⁴⁾ Surface structure of panel: outer side / inner side;

25
YEARS

DOORS ARE




TOORS

INDY

PANELS


PROTECT



Lamella stucco



Lamella stucco



Lamella stucco



Lamella stucco



Lamella stucco

Code – color ¹⁾
Height [mm] ²⁾
Passdoor / FVE ³⁾
Structure ⁴⁾

676 – 5010 / 9010
610
Yes / Yes
Stucco / Stucco

677 – 6009 / 9010
610
Yes / Yes
Stucco / Stucco

679 – 8014 / 9010
610
Yes / Yes
Stucco / Stucco


678 – 7016 / 9010
610
Yes / Yes
Stucco / Stucco

684 – 9005 / 9010
610
Yes / Yes
Stucco / Stucco


PROTECT




V-profile smooth




V-profile smooth




Flat stucco



Flat smooth



Flat woodgrain



Flat smooth

Code – color ¹⁾
Height [mm] ²⁾
Passdoor / FVE ³⁾
Structure ⁴⁾

687 – 9006 / 9010
500; 610
Yes / Yes
Smooth / Stucco

682 – 7016 / 9010
500; 610
Yes / Yes
Smooth / Stucco

699 – 9016 / 9010
500; 610
Yes / Yes
Stucco / Stucco

667 – 9016 / 9010
500; 610
Yes / Yes
Smooth / Stucco

669 – 9016 / 9010
500; 610
Yes / Yes
Woodgrain / Stucco

668 – 7016 / 9010
500; 610
Yes / Yes
Smooth / Stucco



¹⁾ Color of panel: outer side / inner side; ²⁾ Active height of panel contribute to the door height; ³⁾ FVE – aluminum frame section;

⁴⁾ Surface structure of panel: outer side / inner side



TOORS

Tel.: +420 495 491 855 | e-mail: toors@toors.cz

www.toors.com

Rev. 2424