



PRICE LIST

GENERAL

Price List includes gross prices. Prices to be applied to a complete door order. Spare part prices can be obtained from the web catalogue on <http://aftersales.toors.cz>.

DOORLEAF

- 40 mm sandwich panels made from galvanised steel sheets filled with polyurethane foam (PUR)
- panel designs according to actual panel offer

TRACK SYSTEM

- vertical and horizontal rails made from 1,5 mm galvanized steel profile
- EXT - extension springs placed in vertical angles, lintel min. 0-125 mm (see Installation drawing), min. reveal 0-95 mm
- LHR-C - torsional springs in rear, min. lintel 100-125 mm (see installation drawing), min. reveal 90 mm
- LHF-C - torsional springs in front, min. lintel 200 mm (manually operated or ceiling operator), min. reveal 90 mm
- SL 350 - torsional springs in front, min. lintel 350 mm (manually operated or ceiling operator), min. reveal 125 mm
- SL 420 - torsional springs in front, min. lintel 420 mm (manually operated or ceiling operator), min. reveal 125 mm
- painted torsion springs for 20 000 cycles / extension springs (EXT) for 25 000 cycles
- nylon rollers with bearing, hinges, bearing plates, cable drums, cables, connection accessories

ACCESSORIES FOR SURCHARGE

- painting
- windows
- handgrips, handles, locks
- pass door
- slide bolts and cylinder locks
- full vision sections (FVE)
- EXT cover profile „L“ a „J“

BASIC CONFIGURATION

spring brake security device	✓
fixing profiles for horizontal tracks	✓
coupling end of the horizontal rails	✓
divided shaft + coupler (W > 3 500 mm)	✓
single side plastic handgrip	✓
65 mm strut for section, 1 pc (W > 4500 mm)	✓
painted white end caps	✓
painted top and bottom profile	✗ ¹
painted pass door profiles	✗
painted profiles of fixed top panel	✗ ¹

1) Top and bottom profile painting is a standard on painted doors.

GUARDY - TRACK TYPE LHF-C, SL 350, SL 420 (€)

		Width [mm]														Number of section	
		2 000	2 250	2 500	2 750	3 000	3 250	3 500	3 750	4 000	4 250	4 500	4 750	5 000	5 250		5 500
Height [mm]	3 000	1244	1318	1382	1474	1568	1715	1794	1850	1954	2140	2243					5
	2 960	1233	1300	1359	1460	1565	1698	1775	1825	1923	2104	2211					5
	2 850	1229	1298	1354	1444	1523	1697	1766	1823	1941	2074	2179	2338				5
	2 740	1202	1270	1324	1408	1485	1651	1736	1796	1895	2046	2151	2302	2392			5
	2 630	1178	1256	1302	1375	1467	1636	1698	1770	1862	2038	2093	2268	2351	2479		5
	2 520	1147	1214	1263	1335	1424	1583	1652	1723	1798	1962	2037	2169	2268	2414	2471	5
	2 460	1089	1148	1201	1270	1343	1496	1568	1634	1722	1858	1950	2028	2120	2295	2350	4
	2 350	1069	1121	1173	1243	1318	1469	1522	1581	1664	1822	1894	1957	2053	2197	2249	4
	2 240	1042	1102	1143	1205	1278	1430	1478	1528	1628	1764	1802	1914	1983	2121	2200	4
	2 130	1023	1071	1124	1189	1256	1388	1451	1493	1582	1686	1771	1876	1945	2067	2139	4
2 020	1001	1045	1092	1152	1218	1351	1406	1453	1540	1640	1716	1813	1874	2015	2081	4	

Type of track LHR-C 65 €
Preassembled shaft 30 €









GUARDY - TRACK TYPE EXT (€)

		Width [mm]								Number of section
		2 250	2 500	2 750	3 000	3 250	3 500	3 750	4 000	
General height / GH [mm]	2 625		1254	1332	1400	1492				5
	2 500	1132	1209	1288	1371	1477	1541			5
	2 375	1025	1109	1182	1242	1355	1406	1471	1520	4
	2 250	996	1082	1150	1210	1308	1373	1432	1482	4
	2 125	972	1037	1123	1183	1277	1324	1399	1425	4
	2 080*	956	1023	1099	1168	1260	1307	1371	1399	4
	2 000	930	1002	1069	1146	1242	1289	1347	1376	4
	1 955*	924	994	1054	1128	1222	1264	1327	1363	4
	1 875	914	977	1036	1104	1194	1242	1308	1347	4


Min. width 2000 mm. If you need torsion springs door system, please kindly contact TOORS to ensure, if applicable for bellow 2000 mm width.

* Renovation sets painted on RAL 9016

VARIOUS GLAZING OF FVE^{*)} SECTIONS

		<p>SIMPLE GLAZING</p> <p>Material: PMMA, polycarbonate Glazing design: transparent, satin, opal</p>
		<p>DOUBLE GLAZING</p> <p>Material: PMMA, polycarbonate Glazing design: transparent, satin, opal</p>
		<p>INSULATED ALUMINIUM FILLINGS</p> <p>Material: aluminium, polystyrene Design: stucco/stucco</p>
		<p>VENTILATION FILLINGS</p> <p>Material: natural aluminium Design: mesh 16/8, 22/12, 10/10</p>

Expanded mesh options



air permeability 56%



air permeability 67%

Perforated plate




air permeability 51%


Coloured pane options

f	frosted satin
w	R-structure
m	milk (opal)
s	smoked glass

FVE WITH THERMAL BREAK



FVE WITHOUT THERMAL BREAK



*) FVE - aluminum glass section

SURCHARGES FOR VARIOUS GLAZING OF FVE^{*)} SECTION WITHOUT THERMAL BREAK (€)

Code No.:	Description of glazing: Width [mm]:	2 250	2 500	2 750	3 000	3 250	3 500	3 750	4 000	4 250	4 500	4 750	5 000	5 250	5 500
220	Single wall PMMA: 1 × 2,5 mm PMMA	157	160	177	180	206	208	211	226	239	242	328	338	417	420
230	Single wall polycarbonate: 1 × 3,0 mm polycarbonate	245	250	283	290	332	338	355	380	405	413	511	527	617	624
240	Single wall - tempered glass: 1 × 4,0 mm tempered glass	264	283	317	336	374	393	418	447	476	495	566	580	647	666
250	Double wall PMMA, 2 × 2,5 mm PMMA	200	205	229	235	271	276	289	308	329	333	419	427	507	511
251	Double wall PMMA abrasion resistant: 2 × 2,5 mm PMMA - 1× ANTI SCRATCH	240	249	280	290	330	339	357	381	407	417	507	517	600	611
252	Double wall PMMA abrasion resistant: 2 × 2,5 mm PMMA - 2× ANTI SCRATCH	280	295	330	344	388	404	426	455	486	500	594	607	695	710
250.C	Double wall PMMA with coloured panes: 2 × 2,5 mm PMMA	259	270	302	314	357	369	388	414	442	455	546	558	644	655
260	Double wall polycarbonate: 2 × 3,0 mm polycarbonate	315	333	372	391	441	460	487	518	553	572	672	686	778	797
270	Insulated aluminium stucco fillings: 2 × 0,6 mm aluminium stucco sheet + 20 mm polystyrene	276	290	324	338	384	398	419	446	477	491	585	598	686	700
280	Expanded mesh: natural aluminium - mesh 16/8	149	152	166	170	193	197	205	212	222	228	310	321	397	401
281	Expanded mesh: natural aluminium - mesh 22/12	149	152	166	170	193	197	205	212	222	228	310	321	397	401
282	Perforated plate (10x10mm, bond 4mm)	191	193	218	222	253	257	261	281	298	316	391	404	490	503

*) FVE - aluminum glass section

SURCHARGES FOR VARIOUS GLAZING OF FVE^{*)} SECTION WITH THERMAL BREAK (€)

Code No.:	Description of glazing: Width [mm]:	2 250	2 500	2 750	3 000	3 250	3 500	3 750	4 000	4 250	4 500	4 750	5 000	5 250	5 500
250	Double wall PMMA, 2 × 2,5 mm PMMA	341	349	382	388	455	463	478	504	543	549	662	677	793	801
251	Double wall PMMA abrasion resistant: 2 × 2,5 mm PMMA - 1× ANTI SCRATCH	388	401	440	451	525	537	557	590	634	645	765	782	905	916
252	Double wall PMMA abrasion resistant: 2 × 2,5 mm PMMA - 2× ANTI SCRATCH	435	453	497	516	594	611	638	675	726	743	867	886	1015	1033
250.C	Double wall PMMA with coloured panes: 2 × 2,5 mm PMMA	409	425	465	480	556	571	594	628	675	690	811	828	953	969
260	Double wall polycarbonate: 2 × 3,0 mm polycarbonate	476	498	548	570	654	676	708	750	805	827	956	978	1110	1133
270	Insulated aluminium stucco fillings: 2 × 0,6 mm aluminium stucco sheet + 20 mm polystyrene	430	447	492	509	586	604	629	666	715	733	857	876	1002	1020

*) FVE - aluminum glass section

ACCESSORIES (€)

Panels		Price	Unit
Panel DB 703	accessories (calculated as percentage from basic price door)	5%	
Wood imitation panel surface	accessories (calculated as percentage from basic price door)	15%	
Non-standard panel cuts		Price	Unit
Non-standard composition of door blade - cut	(unchanged number of panels)	100	pc of door
Non-standard composition of door blade - cut + panel	(for next pc of new panel)	100 / pc of door + 53 per meter (W)	pc of door
Sealing		Price	Unit
Low bottom sealing for garage door		0*	per meter (W)
Bottom sealing with chamber for optical safety edge		10	
Double upper sealing (only for LHF, LHR and SL track systems with combination of top sealing on top panel section)		10	
Hanging and consolidation equipment		Price	Unit
Additional perforated galvanized diagonal, round / oval holes, 30 x 30 x 3000 mm		18	pc
Additional fixing of horizontal tracks (bracket + „L“ profile 176/350/408 mm)		18	pair
Torsion springs		Price	Unit
20 000 cycles		0*	pair
50 000 cycles***		142	pair
100 000 cycles***		380	pair
Reinforcing struts		Price	Unit
Reinforcing struts 65 mm	W ≤ 4500	12	per meter (W)
	W > 4500	0**	per meter (W)
Double side hinges		Price	Unit
W ≤ 5000 mm		22	per section
W > 5000 mm		0	per section
Air grates		Price	Unit
Plastic air grate, can be closed (black/white; white/white)		33	pc

*price included

**1 piece included in the price

*** Please contact Toors to verify technical feasibility.

ACCESSORIES (€)

Painting		Price	Unit
Painting panel in RAL or NCS	per side	34	per m ²
Painting panel in pearl RAL	per side	97	per m ²
Painting panel in RAL 9006,9007	per side	38	per m ²
Painting panel in fine/coarse sand structure	per side	38	per m ²
Painting of FVE in RAL or NCS	per side	34	per m ²
Painting of FVE in pearl RAL	per side	97	per m ²
Painting of FVE in RAL 9006, 9007	per side	38	per m ²
Painting of FVE in RAL or NCS	inside and outside in one colour	34	per m ²
Painting of FVE in pearl RAL	inside and outside in one colour	97	per m ²
Painting of FVE in RAL 9006, 9007	inside and outside in one colour	38	per m ²
Painting of FVE glazing bars	per meter (W)	9	per meter (W)
Painting insulated aluminum stucco fillings in RAL or NCS	per side	34	per m ²
Painting expanded mesh in RAL or NCS	double-faced painting only	61	per pc (filling)
Painting top/bottom Al profile in RAL or NCS	per side (not painted panel)	17	per meter (W)
Painting top/bottom Al profile in RAL or NCS*	per side, painting in the same colour as painted panel	included	per meter (W)
Painting pass door Al profiles in RAL or NCS	per side (not painted panel)	200	per pc
Painting pass door Al profiles in RAL or NCS*	per side, painting in the same colour as painted panel	included	per pc
Painting Al profile of fixed top panel in RAL or NCS	per side (not painted panel)	17	per meter (circuit)
Painting Al profile of fixed top panel in RAL or NCS*	per side, painting in the same colour as painted panel	included	per meter (circuit)
Painting of trackset (food industry approved, RAL 9016)	per m track set	50	per m track set
Painting of fixed top panel in RAL or NCS	per side	47	pc
Painting of fixed top panel in pearl RAL	per side	132	ks
Painting of fixed top panel in RAL 9007,9007	per side	53	ks
Painting of fixed top panel FVE in RAL nebo NCS	per side	38	ks
Painting the window frame – exterior side	per side	49	ks
Painting of air grates	per side	27	pc

*if the panel is painted, the top/bottom profiles are painted as well

ACCESSORIES (€)

Fixed top panel		Price	Unit
Fixed top panel, max. W = 8000 mm	H ≤ 250 mm	76	per meter (W)
	250 < H < 620	94	per meter (W)
Fixed top panel FVE, max. W = 7000 mm	250 < H < 620	176	per meter (W)
Pass door		Price	Unit
Pass door, closer with sliding arm, incl. lock, handle/handle		935	pc
Extra low treshold (18 mm); only for W ≤ 5000 mm (surcharge to the pass door price)		220	pc
Low treshold (80 mm); only for W ≤ 5000 mm (surcharge to the pass door price)		220	pc
Door spring with sliding arm		0*	pc
Pass door contact		0*	pc
Security devices for track system with torsion springs		Price	Unit
Security devices for track system with torsion springs		0*	pc
Door leaf packing		Price	Unit
Chipboard packaging (the door leaf is protected by chipboard on both the top and bottom sides)		0*	pc
Side closed by chipboard (the door leaf is protected by chipboard on the top, bottom, and both longer sides)		119	pc
Light ("Two-men") packing (packaging sections: maximum 2 pieces, manually handled)		112	pc
Packing "container" Packaging "container" (the door leaf and the guide are protected by chipboard on all sides)		255	pc
Certified packaging according to ISPM 15		35	pc
Others		Price	Unit
Door including logo		0*	pc
Door without logo ("NONAME")		0*	pc
Full manual		12	pc
Stopper for manually operated door		10	pair
Changes in door specification after releasing to production		Price	Unit
Changes in door specification after releasing to production (no customized materials purchased)		100**	per position
Changes in door specification after releasing to production (customized materials already purchased)		100 + material**	per position

* price included

** net price

ACCESSORIES - (€)

Cover profiles and lintel profile	Standard (RAL 9010)	Painting (RAL another)	Unit
Vertical cover profile „L“ General height 1875; 2000; 2125 mm	97	152	pair
Vertical cover profile „L“ General height 2250; 2375; 2500; 2625 mm	101	141	pair
Vertical cover profile „J“ General height 1875; 2000; 2125 mm	90	117	pair
Vertical cover profile „J“ General height 2250; 2375; 2500; 2625 mm	156	204	pair
Top cover profile „L“ Width (W) ≤ 2225 mm	51	66	pc
Top cover profile „L“ Width (W) ≥ 2226 ≤ 2725 mm	76	99	pc
Top cover profile „L“ Width (W) ≥ 2726 ≤ 3000 mm	91	119	pc
Top cover profile „L“ Width (W) ≥ 3001 mm	102	129	pc
Sealing EXT		Price	Unit
Vertical sealing with TB		14	per meter height (H)
Seal for lintel without TB		7	per meter width (W)
Side space < 95mm		Price	Unit
Kit for mounting with a side space less than 95mm		45	pc

ACCESSORIES - ALUMINIUM PROFILE (€)

Code	A x B x T (mm)	Maximum length (mm)	Price for raw aluminum finish per linear meter	RAL painting per linear meter
T09-010-60-0352	60 x 40 x 2	6000	24,57	10,53
T09-010-60-0353	80 x 40 x 2	6000	28,91	12,40
T09-010-60-0354	100 x 40 x 2,5	6000	43,47	18,63
T09-010-60-0355	120 x 40 x 2	6000	40,44	17,34
T09-010-60-0356	150 x 40 x 4	6000	93,17	39,94
T09-010-60-0357	80 x 40 x 40 x 2	6000	27,56	11,81

203 Oval CLICK

69 €

T09-010-40-0001

- black smooth frame
- transparent double glazing, PMMA
- click system
- frame dimensions 663 x 343 mm
- glazing dimensions 580 x 265 mm



205 NG Rectangular CLICK

67 €

T09-010-40-0095

- black smooth frame
- transparent double glazing, PMMA
- click system
- frame dimensions 680 x 373 mm
- glazing dimensions 605 x 298 mm



207 Rectangular 2

91 €

T09-010-40-0087

- black smooth frame
- transparent double glazing, PMMA
- frame dimensions 609 x 146 mm
- glazing dimensions 540 x 85 mm




204 Rectangular 3

71 €

T09-010-40-0072

- White frame woodgrain
- Transparent double glazing, PMMA
- Frame dimensions 490 x 325 mm
- Glazing dimensions 430 x 260 mm




206 Rectangular 4

84 €

T09-010-40-0073

- White frame woodgrain
- Satin double glazing, PMMA
- Frame dimensions 490 x 325 mm
- Glazing dimensions 430 x 260 mm



208 Rectangular 5

71 €

T09-010-40-0088

- Brown frame woodgrain
- Transparent double glazing, PMMA
- Frame dimensions 490 x 325 mm
- Glazing dimensions 430 x 260 mm



210 Rectangular 7

70 €

T09-010-40-0074

- Black frame woodgrain
- Transparent double glazing, PMMA
- Frame dimensions 490 x 325 mm
- Glazing dimensions 430 x 260 mm



216 Rectangular 9

80 €

T09-010-40-0053

- silver smooth frame
- transparent double glazing, PMMA
- frame dimensions 637 x 334 mm
- glazing dimensions 550 x 247 mm



218 Rectangular stainless steel

233 €

T09-010-40-0071

- stainless steel
- transparent double glazing, SAN
- safety glass
- frame dimensions 230 x 230 mm
- glazing dimensions 150 x 150 mm



215 Round stainless steel

262 €

T09-010-40-0070

- stainless steel
- transparent single glazing, PMMA
- safety glass
- frame dimension \varnothing 330 mm
- glazing dimensions \varnothing 260 mm



217 Round

102 €

T09-010-40-0010

- black smooth frame
- transparent double glazing, PMMA
- frame dimension \varnothing 330 mm
- glazing dimensions \varnothing 260 mm



219 Rectangular stainless steel

341 €

T09-010-40-0069

- stainless steel
- transparent double glazing, SAN
- safety glass
- frame dimensions 310 x 310 mm
- glazing dimensions 230 x 230 mm



LOCKS, HANDLES AND CYLINDER OPTIONS

KL01 Handle/handle standard configuration

0 €



OUTSIDE:

- Handle, shield

INSIDE:

- Handle, shield

INNER ELEMENTS:

- Mortise lock
- Key cylinder + 3 pcs key

KL02 Knob/handle

51 €



OUTSIDE:

- Knob, shield

INSIDE:

- Handle, shield

INNER ELEMENTS:

- Mortise lock
- Key cylinder + 3 pcs key

Door can be opened only with key from outside (with handle from inside if not locked).

KL03 Handle/handle + key cylinder with button

29 €



OUTSIDE:

- Handle, shield

INSIDE:

- Handle, shield, button

INNER ELEMENTS:

- Mortise lock
- Key cylinder + 3 pc key

Door can be locked with button from inside (with key from outside).

KL04 Knob/handle key cylinder with button

78 €



OUTSIDE:

- Knob, shield

INSIDE:

- Handle, shield, button

INNER ELEMENTS:

- Mortise lock
- Key cylinder + 3 pc key

Door can be opened only with key from outside (with handle from inside if not locked). Door can be locked with button from inside (with key from outside).

KL05 Panic lock handle/handle

165 €



OUTSIDE:

- Handle, shield

INSIDE:

- Handle, shield

INNER ELEMENTS:

- Panic lock - function D
- Key cylinder with free tooth + 3 pc key

Door can be opened with handle from inside anytime - even if lock is locked (with handle from outside if not locked).

KL06 Panic lock knob/handle

192 €



OUTSIDE:

- Knob, shield

INSIDE:

- Handle, shield

INNER ELEMENTS:

- Panic lock - function E
- Key cylinder with free tooth + 3 pc key

Door can be opened with handle from inside anytime - even if lock is locked (with key from outside).

LOCKS, HANDLES AND CYLINDER OPTIONS

KL13 Panic lock device handle/exit bar

250 €



OUTSIDE:

- handle, shield, key hole

INSIDE:

- exit bar (single-point-construction)

INNER ELEMENTS:

- panic lock - function D
- key cylinder with free tooth + 3 pc key

Door can be opened with exit bar from inside anytime - even if lock is locked (with handle from outside if not locked).

Low Lift: Clear opening if the door is open is H - 40 mm.

KL17 Panic lock handle/handle

563 €



OUTSIDE:

- Handle, shield

INSIDE:

- Handle, shield

INNER ELEMENTS:

- Panic lock - function B
- Key cylinder with free tooth + 3 pc key

When the key is turned from the outside, the deadbolt is pulled and the cylinder is unlocked and then the arrow is pulled and the lock is switched to the permanently open state. The door can then only be opened from the outside with the handle until the key is relocked.

KL14 Panic lock device knob/exit bar

300 €



OUTSIDE:

- knob, shield, key hole

INSIDE:

- exit bar (single-point-construction)

INNER ELEMENTS:

- panic lock - function E
- key cylinder with free tooth + 3 pc key

Door can be opened with exit bar from inside anytime - even if lock is locked (with key from outside if not locked).

Low Lift: Clear opening if the door is open is H - 40 mm

KL18 Panic lock device handle/exit bar

710 €



OUTSIDE:

- handle, shield, key hole

INSIDE:

- exit bar (single-point-construction)

INNER ELEMENTS:

- panic lock - function B
- key cylinder with free tooth + 3 pc key

When the key is turned from the outside, the deadbolt is pulled and the cylinder is unlocked and then the arrow is pulled and the lock is switched to the permanently open state. The door can then only be opened from the outside with the handle until the key is relocked.

Electric Lock Befo 2412

300 €

T09-040-65-0107

- Electric Lock Befo
- Suitable for Passdoor
- Inkl. Installation + wiring
- Voltage 24V DC/AC



SLIDE BOLTS AND CYLINDER LOCKS

490 Slide bolt

9 €

T09-040-65-0095

- Galvanized, with black plastic knob
- Not recommended for FVE sections
- Placing: left, right, left + right



491 Slide bolt

9 €

T09-040-65-0025

- Galvanized
- Not recommended for FVE sections
- Placing: left, right, left + right



493B Cylinder lock

171 €

T09-040-65-0081

- black-plated
- double-sided up to door width 2500 mm
- if door width > 2500 mm the lock can be placed only left or right
- cannot be built into FVE
- only for SL
- placing: left, right, middle
- min. lintel height for use is 105 mm



495 Cylinder lock

118 €

T09-005-0062

- Black-plated
- Not for FVE sections
- Placing: left, right




492B Cylinder lock

184 €

T09-040-65-0079

- Black-plated
- Double-sided up to $W = 2500$ mm; if $W > 2500$ mm extra long rods must be used (up to $W = 5000$ mm) or the lock is to be placed either left or right
- Not for FVE sections
- Placing: left, right, middle
- min. lintel height for use is 105 mm



492B Pendulum rod (pair)

20 €

T09-040-65-0083

- Extra long lock rod for 492B
- Can be used for wider doors ($W = 2500 - 5000$ mm) and/or for excentric positioning of the lock
- Galvanized steel
- Weight 0,5 kg/pc L=2450 mm/pc




SLIDE BOLTS AND CYLINDER LOCKS

498 Cylinder lock

137 €

T09-040-65-0023

- Black
- Not for FVE sections
- Placing: left, right, left + right



497B Cylinder lock

150 €

T09-040-65-0028

- Black outside and inside
- Flush-mounted knob on outside
- Not for FVE sections
- Placing: left, right, left + right



499B Cylinder lock

204 €

T09-005-0064

- Black outside, galvanized inside
- Flush-mounted knob on outside
- Not for FVE sections
- Placing: left, right, middle, left + right



499S Cylinder lock

204 €

T09-005-0065

- Silver outside, galvanized inside
- Flush-mounted knob on outside
- Not for FVE sections
- Placing: left, right, middle, left + right



499 Pendulum rod (pair)

20 €

T09-040-65-0143

- Extra long lock rod for 499B and 499S
- Can be used for wider doors (W = 2500 - 5000 mm) and/or for excentric positioning of the lock
- Galvanized steel
- Weight 0,5 kg/pc; L = 1200 - 2350 mm/pc



466 Handgrip single-sided

3 €

T09-040-65-0088

- Rounded, black, plastic
- To be installed on panel
- 1st piece in basic price
- Placing: left, right, middle

1 pc of this handgrip is in Guardy door basic price already included.



467 Handgrip double-sided

6 €

T09-040-70-0143

- Rounded, black, plastic
- To be installed on panel
- Placing: left, right, middle



468 Handgrip double-sided

37 €

T09-040-65-0087

- Oval, black, plastic
- Handgrip is to be inserted into hole that is cut in the panel
- Not for FVE
- Placing: left, right, middle, left + right



460 Handgrip double-sided

12 €

T09-040-65-0009

- Black, plastic
- Handgrip is to be inserted into hole that is cut in the panel
- Not for FVE
- Placing: left, right, middle, left + right




463 Handgrip double-sided

20 €

T09-040-65-0106

- Rectangular, black, plastic
- Built into panel
- Not for FVE
- Placing: left, right, middle, left + right



469B Handgrip double-sided

40 €

T09-040-65-0141

- Round, Aluminum black coated
- Handgrip is to be inserted into hole that is cut in the panel
- Not for FVE
- Placing: left, right, middle, left + right



TORMATIC DRIVES' ACCESSORIES

WB800 ZS30 / ZS40

376 € (ZS30)

T09-051-10-0045

395 € (ZS40)

T09-051-10-0046

- Motorhead WB800, 800 N, 230 V, 2 pcs 3-channel hand transmitter, 868 MHz
- ZS30 (steel track with toothed belt) max. door height 2375 mm
- ZS40 (steel track with toothed belt) max. door height 3000 mm



BLACK1200 ZS30 / ZS40

876 € (ZS30)

T09-051-10-0042

943 € (ZS40)

T09-051-10-0043

- Motorhead BLACK1200, 1000 - 1200 N
- 2pcs 3-channel hand transmitter, 433 MHz
- For underground garages (with up to 50 parking spaces)
- Automatic closing
- Option of connecting traffic light controls
- ZS30 (steel track with toothed belt) max. door height 2375 mm
- ZS40 (steel track with toothed belt) max. door height 3000 mm




TORMATIC DRIVES' ACCESSORIES

External release

43 €

T09-051-40-0006

- External release for sectional door with ceiling operator (obligatory if there is no other entrance in the room)
- Key cylinder and cover
- Ground aluminium appearance



External release

33 €

T09-051-40-0007

- External release for sectional door with ceiling operator (obligatory if there is no other entrance in the room)
- Round key cylinder ø 20 mm




DF 450

22 €

T09-051-40-0002

- Door fitting for mounting with lintel over 230 mm



External receiver, Tormatic

111 €

T09-051-50-0019, 868 MHz

T09-051-50-0003, 433 MHz

- Receiver, 868 MHz, one relay output
- KeeLoq hopping code
- Connection voltage 12-24 V
- For external installation



Code keyboard DigiCode

154 €

T09-051-50-0020, 868 MHz

T09-051-50-0012, 433 MHz

- Foil keyboard
- Wireless
- KeeLoq hopping code



Wall remote control DuoControl

74 €

T09-051-50-0021, 868 MHz

T09-051-50-0014, 433 MHz

- 2-channel touch control
- Wireless
- KeeLoq hopping code



TORMATIC DRIVES' ACCESSORIES

KT 3/1 AP

51 €
T09-051-50-0005

- Key switch on plaster



KT 3/1 UP

51 €
T09-051-50-0006

- Key switch under plaster



Traffic light control

548 €
T09-051-50-0008

- Traffic light controls
- For BLACK 1200



Light barrier Tormaticc

52 €
T09-051-60-0001

- Up to 8m range
- IP45
- 24 V AC/DC
- Autotesting function



Remote control Tormatic

38 €
T09-051-50-0024, 868 MHZ
T09-051-50-0025, 433 MHZ

- 3-channel hand transmitter
- KeeLoq hopping code



TORMATIC DRIVES' ACCESSORIES

Signal lamp

87 €

T09-051-40-0004

- Signal light green
- 230 V/50 Hz



87 €

T09-051-40-0003

- Signal light red
- 230 V/50 Hz



Spiral cable

92 €

T09-050-30-0003

- Spiral cable 1000/350-900
- Cable with connection box and plugs



ALU TH

- Aluminium track with chain guide

For door height max. 3000 mm	259 € T09-051-10-0018
---------------------------------	--------------------------

For door height max. 3750 mm	352 € T09-051-10-0017
---------------------------------	--------------------------

For door height max. 4750 mm	402 € T09-051-10-0015
---------------------------------	--------------------------



DRIVES AND ACCESSORIES CUBE

Cube 1100N

270 €

T09-050-14-0001

- 1100N, 230V
- max. doorleaf area 11m²
- 868 MHz
- incl. rail 3500mm and 2pc remote controls
- max. door height 2500mm

Cube 1100N

282 €

T09-050-14-0002

- 1100N, 230V
- max. doorleaf area 11m²
- 868 MHz
- incl. rail 4000mm and 2pc remote controls
- max. door height 3000mm



Remote control, Cube

30 €

T09-050-13-0004

- 868 MHz
- 4 channel



Wall switch, Cube

29 €

T09-050-14-0005

- 868 MHz
- 3 channel



Keypad, Cube

63 €

T09-050-14-0004

- 868 MHz



ACCESSORIES CUBE

Warning light, Cube

39 €

T09-050-14-0007

- yellow warning light
- 12-240V AC/DC



Photocells, Cube

62 €

T09-050-14-0006

- working range 15m



External receiver, Cube

59 €

T09-050-14-0003

- 3 channel
- 868 MHz



Wifi modul, Cube

65 €

T09-050-14-0008

- for operating through application



Comfort 260 Speed

279 €

T09-051-20-0001

- 650N, 230V
- max. doorleaf area <9m²
- incl. 1pc remote control
- 868 MHz



Comfort 270 Speed

314 €

T09-051-20-0002

- 850N, 230V
- max. doorleaf area <14m²
- incl. 1pc remote control
- 868 MHz



Comfort 280

320 €

T09-051-20-0003

- 1000N, 230V
- max. door weight >14m²
- incl. 1pc remote control
- 868 MHz



Guide rail with belt SZ11

108 €

T09-051-20-0010

- length 3080mm
- max. door height 2250mm



Guide rail with belt SZ12

125 €

T09-051-20-0011

- length 3330mm
- max. door height 2500mm



Guide rail with belt SZ13

158 €

T09-051-20-0012

- length 4090mm
- max. door height 3000mm



ACCESSORIES MARANTEC

Remote Control Digital 572

43 €
T09-051-20-0020

- 2 channel
- 868 MHz



Remote Control Digital 564

45 €
T09-051-20-0021

- 4 channel
- 868 MHz



Remote Control Digital 506

75 €
T09-051-20-0022

- 10 channel
- 868 MHz



DuoControl Digital 520

43 €
T09-051-20-0023

- 2 channel
- 868 MHz



Code Keyboard Digital 526

85 €
T09-051-20-0024

- 868 MHz



External receiver Digital 992

75 €
T09-051-20-0025

- 868 MHz



EM171

128 €
T09-051-20-0026

- Expansion module



Extension profile, Marantec

8 €
T09-051-20-0028

- 104-204mm

