



PRICE LIST

GENERAL

Price List includes gross prices. Prices to be applied to a complete door order. Spare part prices can be obtained from the web catalogue on <http://aftersales.toors.cz>.

DOORLEAF

- 40 mm sandwich panels made from galvanised steel sheets filled with polyurethane foam (PUR)
- panel designs according to actual panel offer

TRACK SYSTEM

- vertical and horizontal rails made from 1,5 mm galvanized steel profile
- EXT - extension springs placed in vertical angles, lintel min. 0-125 mm (see Installation drawing), min. reveal 0-95 mm
- LHR-C - torsional springs in rear, min. lintel 100-125 mm (see installation drawing), min. reveal 90 mm
- LHF-C - torsional springs in front, min. lintel 200 mm (manually operated or ceiling operator), min. reveal 90 mm
- SL 350 - torsional springs in front, min. lintel 350 mm (manually operated or ceiling operator), min. reveal 125 mm
- SL 420 - torsional springs in front, min. lintel 420 mm (manually operated or ceiling operator), min. reveal 125 mm
- painted torsion springs for 20 000 cycles / extension springs (EXT) for 25 000 cycles
- nylon rollers with bearing, hinges, bearing plates, cable drums, cables, connection accessories

ACCESSORIES FOR SURCHARGE

- painting
- windows
- handgrips, handles, locks
- pass door
- slide bolts and cylinder locks
- full vision sections (FVE)
- EXT cover profile „L“ a „J“

BASIC CONFIGURATION

spring brake security device	✓
fixing profiles for horizontal tracks	✓
coupling end of the horizontal rails	✓
divided shaft + coupler (W > 3 500 mm)	✓
single side plastic handgrip	✓
65 mm strut for section, 1 pc (W > 4500 mm)	✓
painted white end caps	✓
painted top and bottom profile	✗ ¹
painted pass door profiles	✗
painted profiles of fixed top panel	✗ ¹

1) Top and bottom profile painting is a standard on painted doors.

GUARDY - TRACK TYPE LHF-C, SL 350, SL 420 (€)

		Width [mm]															Number of section
		2 000	2 250	2 500	2 750	3 000	3 250	3 500	3 750	4 000	4 250	4 500	4 750	5 000	5 250	5 500	
Height [mm]	3 000	1 305	1 383	1 450	1 547	1 645	1 800	1 882	1 941	2 050	2 245	2 353					5
	2 960	1 294	1 364	1 426	1 532	1 642	1 782	1 862	1 915	2 018	2 208	2 320					5
	2 850	1 290	1 362	1 421	1 515	1 598	1 781	1 853	1 913	2 037	2 176	2 286	2 453				5
	2 740	1 261	1 333	1 389	1 477	1 558	1 732	1 822	1 885	1 988	2 147	2 257	2 415	2 510			5
	2 630	1 236	1 318	1 366	1 443	1 539	1 717	1 782	1 857	1 954	2 138	2 196	2 380	2 467	2 601		5
	2 520	1 204	1 274	1 325	1 401	1 494	1 661	1 733	1 808	1 887	2 059	2 137	2 276	2 380	2 533	2 593	5
	2 460	1 143	1 205	1 260	1 333	1 409	1 570	1 645	1 715	1 807	1 950	2 046	2 128	2 224	2 408	2 466	4
	2 350	1 122	1 176	1 231	1 304	1 383	1 541	1 597	1 659	1 746	1 912	1 987	2 053	2 154	2 305	2 360	4
	2 240	1 094	1 156	1 200	1 265	1 341	1 501	1 551	1 603	1 708	1 851	1 891	2 008	2 081	2 225	2 308	4
	2 130	1 074	1 124	1 180	1 248	1 318	1 457	1 523	1 567	1 660	1 769	1 858	1 968	2 041	2 169	2 244	4
	2 020	1 051	1 097	1 146	1 209	1 278	1 418	1 475	1 525	1 616	1 721	1 801	1 902	1 966	2 114	2 183	4





GUARDY - TRACK TYPE EXT (€)

		Width [mm]								Number of section
		2 250	2 500	2 750	3 000	3 250	3 500	3 750	4 000	
General height / GH [mm]	2 625		1 316	1 398	1 469	1 566				5
	2 500	1 188	1 269	1 352	1 439	1 550	1 617			5
	2 375	1 076	1 164	1 240	1 303	1 422	1 475	1 544	1 595	4
	2 250	1 045	1 136	1 207	1 270	1 373	1 441	1 503	1 555	4
	2 125	1 020	1 088	1 179	1 241	1 340	1 389	1 468	1 495	4
	2 080 *	1 003	1 074	1 153	1 226	1 322	1 372	1 439	1 468	4
	2 000	976	1 052	1 122	1 203	1 303	1 353	1 414	1 444	4
	1 955 *	970	1 043	1 106	1 184	1 282	1 326	1 393	1 430	4
	1 875	959	1 025	1 087	1 159	1 253	1 303	1 373	1 414	4


Min. width 2000 mm. If you need torsion springs door system, please kindly contact TOORS to ensure, if applicable for bellow 2000 mm width.

* Renovation sets painted on RAL 9016

VARIOUS GLAZING OF FVE^{*)} SECTIONS

		SIMPLE GLAZING Material: PMMA, polycarbonate Glazing design: transparent
		DOUBLE GLAZING Material: PMMA, polycarbonate Glazing design: transparent, frosted satin, R-structure, milk (opal), smoked glass
		INSULATED ALUMINIUM FILLINGS Material: aluminium, polystyrene Design: stucco/stucco
		VENTILATION FILLINGS Material: natural aluminium Design: mesh 16/8, 22/12, 10/10


FVE WITH THERMAL BREAK



FVE WITHOUT THERMAL BREAK



Expanded mesh options



air permeability 56%



air permeability 67%

Perforated plate



air permeability 51%

Coloured pane options

f	frosted satin
w	R-structure
m	milk (opal)
s	smoked glass

*) FVE - aluminum glass section

SURCHARGES FOR VARIOUS GLAZING OF FVE^{*)} SECTION WITHOUT THERMAL BREAK (€)

Code No.:	Description of glazing: Width [mm]:	2 250	2 500	2 750	3 000	3 250	3 500	3 750	4 000	4 250	4 500	4 750	5 000	5 250	5 500
220	Single wall PMMA: 1 × 2,5 mm PMMA	157	160	177	180	206	208	211	226	239	242	328	338	417	420
230	Single wall polycarbonate: 1 × 3,0 mm polycarbonate	245	250	283	290	332	338	355	380	405	413	511	527	617	624
240	Single wall - tempered glass: 1 × 4,0 mm tempered glass	264	283	317	336	374	393	418	447	476	495	566	580	647	666
250	Double wall PMMA, 2 × 2,5 mm PMMA	200	205	229	235	271	276	289	308	329	333	419	427	507	511
251	Double wall PMMA abrasion resistant: 2 × 2,5 mm PMMA - 1× ANTI SCRATCH	240	249	280	290	330	339	357	381	407	417	507	517	600	611
252	Double wall PMMA abrasion resistant: 2 × 2,5 mm PMMA - 2× ANTI SCRATCH	280	295	330	344	388	404	426	455	486	500	594	607	695	710
250.C	Double wall PMMA with coloured panes: 2 × 2,5 mm PMMA	259	270	302	314	357	369	388	414	442	455	546	558	644	655
260	Double wall polycarbonate: 2 × 3,0 mm polycarbonate	315	333	372	391	441	460	487	518	553	572	672	686	778	797
270	Insulated aluminium stucco fillings: 2 × 0,6 mm aluminium stucco sheet + 20 mm polystyrene	276	290	324	338	384	398	419	446	477	491	585	598	686	700
280	Expanded mesh: natural aluminium - mesh 16/8	149	152	166	170	193	197	205	212	222	228	310	321	397	401
281	Expanded mesh: natural aluminium - mesh 22/12	149	152	166	170	193	197	205	212	222	228	310	321	397	401
282	Perforated plate (10x10mm, bond 4mm)	191	193	218	222	253	257	261	281	298	316	391	404	490	503

*) FVE - aluminum glass section

SURCHARGES FOR VARIOUS GLAZING OF FVE^{*)} SECTION WITH THERMAL BREAK (€)

Code No.:	Description of glazing: Width [mm]:	2 250	2 500	2 750	3 000	3 250	3 500	3 750	4 000	4 250	4 500	4 750	5 000	5 250	5 500
250	Double wall PMMA, 2 × 2,5 mm PMMA	341	349	382	388	455	463	478	504	543	549	662	677	793	801
251	Double wall PMMA abrasion resistant: 2 × 2,5 mm PMMA - 1× ANTI SCRATCH	388	401	440	451	525	537	557	590	634	645	765	782	905	916
252	Double wall PMMA abrasion resistant: 2 × 2,5 mm PMMA - 2× ANTI SCRATCH	435	453	497	516	594	611	638	675	726	743	867	886	1 015	1 033
250.C	Double wall PMMA with coloured panes: 2 × 2,5 mm PMMA	409	425	465	480	556	571	594	628	675	690	811	828	953	969
260	Double wall polycarbonate: 2 × 3,0 mm polycarbonate	476	498	548	570	654	676	708	750	805	827	956	978	1 110	1 133
270	Insulated aluminium stucco fillings: 2 × 0,6 mm aluminium stucco sheet + 20 mm polystyrene	430	447	492	509	586	604	629	666	715	733	857	876	1 002	1 020

*) FVE - aluminum glass section

ACCESSORIES (€)

Panels		Price	Unit
Panel DB 703	accessories (calculated as percentage from basic price door)	5%	
Wood imitation panel surface	accessories (calculated as percentage from basic price door)	15%	
Non-standard panel cuts		Price	Unit
Non-standard composition of door blade - cut	(unchanged number of panels)	100	pc of door
Non-standard composition of door blade - cut + panel	(for next pc of new panel)	100 / pc of door + 53 per meter (W)	pc of door
Sealing		Price	Unit
Low bottom sealing for garage door		0*	per meter (W)
Bottom sealing with chamber for optical safety edge		10	
Double upper sealing (only for LHF, LHR and SL track systems with combination of top sealing on top panel section)		10	
Hanging and consolidation equipment		Price	Unit
Additional perforated galvanized diagonal, round / oval holes, 30 x 30 x 3000 mm		18	pc
Additional fixing of horizontal tracks (bracket + „L“ profile 176/350/408 mm)		18	pair
Torsion springs		Price	Unit
20 000 cycles		0*	pair
25 000 cycles		77	pair
50 000 cycles***		154	pair
100 000 cycles***		410	pair
Reinforcing struts		Price	Unit
Reinforcing struts 65 mm	$W \leq 4500$	12	per meter (W)
	$W > 4500$	0**	per meter (W)
Double side hinges		Price	Unit
$W \leq 5000$ mm		22	per section
$W > 5000$ mm		0	per section
Air grates		Price	Unit
Plastic air grate, can be closed (black/white; white/white)		33	pc

*price included

**1 piece included in the price

*** Please contact Toors to verify technical feasibility.

ACCESSORIES (€)

Painting		Price	Unit
Painting panel in RAL or NCS	per side	38	per m ²
Painting panel in pearl RAL	per side	106	per m ²
Painting panel in RAL 9006,9007	per side	43	per m ²
Painting panel in fine/coarse sand structure	per side	43	per m ²
Painting of FVE in RAL or NCS	per side	38	per m ²
Painting of FVE in pearl RAL	per side	106	per m ²
Painting of FVE in RAL 9006, 9007	per side	43	per m ²
Painting of FVE in RAL or NCS	inside and outside in one colour	38	per m ²
Painting of FVE in pearl RAL	inside and outside in one colour	106	per m ²
Painting of FVE in RAL 9006, 9007	inside and outside in one colour	43	per m ²
Painting of FVE glazing bars	per meter (W)	10	per meter (W)
Painting insulated aluminum stucco fillings in RAL or NCS	per side	38	per m ²
Painting expanded mesh in RAL or NCS	double-faced painting only	76	per section
Painting top/bottom Al profile in RAL or NCS	per side (not painted panel)	19	per meter (W)
Painting top/bottom Al profile in RAL or NCS*	per side, painting in the same colour as painted panel	included	per meter (W)
Painting pass door Al profiles in RAL or NCS	per side (not painted panel)	220	per pc
Painting pass door Al profiles in RAL or NCS*	per side, painting in the same colour as painted panel	included	per pc
Painting Al profile of fixed top panel in RAL or NCS	per side (not painted panel)	19	per meter (circuit)
Painting Al profile of fixed top panel in RAL or NCS*	per side, painting in the same colour as painted panel	included	per meter (circuit)
Painting of trackset (food industry approved, RAL 9016)	per m track set	56	per m track set
Painting of fixed top panel in RAL or NCS	per side	53	per pc
Painting of fixed top panel in pearl RAL	per side	147	per pc
Painting of fixed top panel in RAL 9006, 9007	per side	59	per pc
Painting of fixed top panel FVE in RAL or NCS	per side	43	per pc
Painting the window frame	per side	55	per pc
Painting of air grates	per side	30	per pc

*if the panel is painted, the top/bottom profiles are painted as well

ACCESSORIES (€)

Fixed top panel		Price	Unit
Fixed top panel, max. W = 8000 mm	H ≤ 250 mm	76	per meter (W)
	250 < H < 620	94	per meter (W)
Fixed top panel FVE, max. W = 7000 mm	250 < H < 620	176	per meter (W)
Pass door		Price	Unit
Pass door, closer with sliding arm, incl. lock, handle/handle		935	pc
Extra low treshold (18 mm); only for W ≤ 5000 mm (surcharge to the pass door price)		220	pc
Low treshold (80 mm); only for W ≤ 5000 mm (surcharge to the pass door price)		220	pc
Door closer with sliding arm		0*	pc
Pass door contact		0*	pc
Security devices for track system with torsion springs		Price	Unit
Security devices for track system with torsion springs		0*	pc
Door leaf packaging		Price	Unit
Chipboard packaging (the door leaf is protected by chipboard on both the top and bottom sides)		0*	pc
Side closed by chipboard (the door leaf is protected by chipboard on the top, bottom, and both longer sides)		119	pc
Light ("Two-men") packing (packaging sections: maximum 2 pieces, manually handled)		112	pc
Packaging "container" Packaging "container" (the door leaf and the guide are protected by chipboard on all sides)		255	pc
Certified packaging according to ISPM 15		35	pc
Others		Price	Unit
Door including logo		0*	pc
Door without logo ("NONAME")		0*	pc
Full manual		12	pc
Stopper for manually operated door		10	pair
Changes in door specification after releasing to production		Price	Unit
Changes in door specification after releasing to production (no customized materials purchased)		100**	per position
Changes in door specification after releasing to production (customized materials already purchased)		100 + material**	per position

* price included

** net price

ACCESSORIES - (€)

Cover profiles and lintel profile	Standard (RAL 9010)	Painting (RAL another)	Unit
Vertical cover profile „L“ General height 1875; 2000; 2125 mm	97	152	pair
Vertical cover profile „L“ General height 2250; 2375; 2500; 2625 mm	101	141	pair
Vertical cover profile „J“ General height 1875; 2000; 2125 mm	90	117	pair
Vertical cover profile „J“ General height 2250; 2375; 2500; 2625 mm	156	204	pair
Top cover profile „L“ Width(W) ≤ 2225 mm	51	66	pc
Top cover profile „L“ Width (W) ≥ 2226 ≤ 2725 mm	76	99	pc
Top cover profile „L“ Width (W) ≥ 2726 ≤ 3000 mm	91	119	pc
Top cover profile „L“ Width (W) ≥ 3001 mm	102	129	pc
Sealing EXT		Price	Unit
Vertical sealing with TB		14	per meter height (H)
Seal for lintel with TB		7	per meter width (W)
Side space < 95mm		Price	Unit
Kit for mounting with a side space less than 95mm		45	pc

ACCESSORIES - ALUMINIUM PROFILE (€)

Code	A x B x T (mm)	Maximum length (mm)	Price for mill finish aluminium per linear metre	RAL painting per linear meter
T09-010-60-0352	60 x 40 x 2	6000	36	12
T09-010-60-0353	80 x 40 x 2	6000	41	14
T09-010-60-0354	100 x 40 x 2,5	6000	57	19
T09-010-60-0355	120 x 40 x 2	6000	54	18
T09-010-60-0356	150 x 40 x 4	6000	128	43
T09-010-60-0357	80 x 40 x 40 x 2	6000	51	17

203 Oval CLICK

69 €

T09-010-40-0001

- black smooth frame
- transparent double glazing, PMMA
- click system
- frame dimensions 663 x 343 mm
- glazing dimensions 580 x 265 mm



205 NG Rectangular CLICK

67 €

T09-010-40-0095

- black smooth frame
- transparent double glazing, PMMA
- click system
- frame dimensions 680 x 373 mm
- glazing dimensions 605 x 298 mm



207 Rectangular 2

91 €

T09-010-40-0087

- black smooth frame
- transparent double glazing, PMMA
- frame dimensions 609 x 146 mm
- glazing dimensions 540 x 85 mm




204 Rectangular 3

71 €

T09-010-40-0072

- White frame woodgrain
- Transparent double glazing, PMMA
- Frame dimensions 490 x 325 mm
- Glazing dimensions 430 x 260 mm




206 Rectangular 4

84 €

T09-010-40-0073

- White frame woodgrain
- Satin double glazing, PMMA
- Frame dimensions 490 x 325 mm
- Glazing dimensions 430 x 260 mm



208 Rectangular 5

71 €

T09-010-40-0088

- Brown frame woodgrain
- Transparent double glazing, PMMA
- Frame dimensions 490 x 325 mm
- Glazing dimensions 430 x 260 mm



210 Rectangular 7

70 €

T09-010-40-0074

- Black frame woodgrain
- Transparent double glazing, PMMA
- Frame dimensions 490 x 325 mm
- Glazing dimensions 430 x 260 mm



216 Rectangular 9

80 €

T09-010-40-0053

- silver smooth frame
- transparent double glazing, PMMA
- frame dimensions 637 x 334 mm
- glazing dimensions 550 x 247 mm



215 Round stainless steel

262 €

T09-010-40-0070

- stainless steel
- transparent single glazing
- safety glass
- frame dimension ø 330 mm
- glazing dimensions ø 260 mm



217 Round

102 €

T09-010-40-0010

- black smooth frame
- transparent double glazing, PMMA
- frame dimension ø 330 mm
- glazing dimensions ø 260 mm



218 Rectangular stainless steel

233 €

T09-010-40-0071

- stainless steel
- transparent double glazing, PMMA
- frame dimensions 230 x 230 mm
- glazing dimensions 150 x 150 mm



219 Rectangular stainless steel

341 €

T09-010-40-0069

- stainless steel
- transparent double glazing, PMMA
- frame dimensions 310 x 310 mm
- glazing dimensions 230 x 230 mm



LOCKS, HANDLES AND CYLINDER OPTIONS

KL01 Handle/handle standard configuration

0 €



OUTSIDE:

- Handle, shield

INSIDE:

- Handle, shield

INNER ELEMENTS:

- Mortise lock
- Key cylinder + 3 pcs key

KL02 Knob/handle

51 €



OUTSIDE:

- Knob, shield

INSIDE:

- Handle, shield

INNER ELEMENTS:

- Mortise lock
- Key cylinder + 3 pcs key

Door can be opened only with key from outside (with handle from inside if not locked).

KL03 Handle/handle + key cylinder with button

67 €



OUTSIDE:

- Handle, shield

INSIDE:

- Handle, shield, button

INNER ELEMENTS:

- Mortise lock
- Key cylinder + 3 pcs key

Door can be locked with button from inside (with key from outside).

KL04 Knob/handle key cylinder with button

78 €



OUTSIDE:

- Knob, shield

INSIDE:

- Handle, shield, button

INNER ELEMENTS:

- Mortise lock
- Key cylinder + 3 pc key

Door can be opened only with key from outside (with handle from inside if not locked). Door can be locked with button from inside (with key from outside).

KL05 Panic lock handle/handle

165 €



OUTSIDE:

- Handle, shield

INSIDE:

- Handle, shield

INNER ELEMENTS:

- Panic lock - function D
- Key cylinder with free cam + 3 pc key

Door can be opened with handle from inside anytime - even if lock is locked (with handle from outside if not locked).

KL06 Panic lock knob/handle

192 €



OUTSIDE:

- Knob, shield

INSIDE:

- Handle, shield

INNER ELEMENTS:

- Panic lock - function E
- Key cylinder with free cam + 3 pc key

Door can be opened with handle from inside anytime - even if lock is locked (with key from outside).

LOCKS, HANDLES AND CYLINDER OPTIONS

KL13 Panic lock device handle/exit bar

250 €



OUTSIDE:

- handle, shield, key hole

INSIDE:

- exit bar (single-point-construction)

INNER ELEMENTS:

- panic lock - function D
- key cylinder with free cam + 3 pc key

Door can be opened with exit bar from inside anytime - even if lock is locked (with handle from outside if not locked).

Low Lift: Clear opening if the door is open is H - 40 mm.

KL17 Panic lock handle/handle

563 €



OUTSIDE:

- Handle, shield

INSIDE:

- Handle, shield

INNER ELEMENTS:

- Panic lock - function B
- Key cylinder with free cam + 3 pc key

When the key is turned from the outside, the deadbolt is pulled and the cylinder is unlocked and then the arrow is pulled and the lock is switched to the permanently open state. The door can then only be opened from the outside with the handle until the key is relocked.

KL14 Panic lock device knob/exit bar

300 €



OUTSIDE:

- knob, shield, key hole

INSIDE:

- exit bar (single-point-construction)

INNER ELEMENTS:

- panic lock - function E
- key cylinder with free cam + 3 pc key

Door can be opened with exit bar from inside anytime - even if lock is locked (with key from outside if not locked).

Low Lift: Clear opening if the door is open is H - 40 mm

KL18 Panic lock device handle/exit bar

710 €



OUTSIDE:

- handle, shield, key hole

INSIDE:

- exit bar (single-point-construction)

INNER ELEMENTS:

- panic lock - function B
- key cylinder with free cam + 3 pc key

When the key is turned from the outside, the deadbolt is pulled and the cylinder is unlocked and then the arrow is pulled and the lock is switched to the permanently open state. The door can then only be opened from the outside with the handle until the key is relocked.

Electric strike Befo 2412

300 €

T09-040-65-0107

- Electric strike Befo
- Suitable for Passdoor
- Inkl. Installation + wiring
- Voltage 24V DC/AC



SLIDE BOLTS AND CYLINDER LOCKS

490 Slide bolt

9 €

T09-040-65-0095

- Galvanized, with black plastic knob
- Not recommended for FVE sections
- Placing: left, right, left + right



491 Slide bolt

9 €

T09-040-65-0025

- Galvanized
- Not recommended for FVE sections
- Placing: left, right, left + right



493B Cylinder lock

171 €

T09-040-65-0081

- black-plated
- double-sided up to door width 2500 mm
- if door width > 2500 mm the lock can be placed only left or right
- cannot be built into FVE
- only for SL
- placing: left, right, middle
- min. lintel height for use is 105 mm



495 Cylinder lock

118 €

T09-005-0062

- Black-plated
- Not for FVE sections
- Placing: left, right




492B Cylinder lock

184 €

T09-040-65-0079

- Black-plated
- Double-sided up to $W = 2500$ mm; if $W > 2500$ mm extra long rods must be used (up to $W = 5000$ mm) or the lock is to be placed either left or right
- Not for FVE sections
- Placing: left, right, middle
- min. lintel height for use is 105 mm



492B Pendulum rod (pair)

20 €

T09-040-65-0083

- Extra long lock rod for 492B
- Can be used for wider doors ($W = 2500 - 5000$ mm) and/or for excentric positioning of the lock
- Galvanized steel
- Weight 0,5 kg/pc L=2450 mm/pc



SLIDE BOLTS AND CYLINDER LOCKS

498 Cylinder lock

137 €

T09-040-65-0023

- Black
- Not for FVE sections
- Placing: left, right, left + right



497B Cylinder lock

150 €

T09-040-65-0028

- Black outside and inside
- Flush-mounted knob on outside
- Not for FVE sections
- Placing: left, right, left + right



499B Cylinder lock

204 €

T09-005-0064

- Black outside, galvanized inside
- Flush-mounted knob on outside
- Not for FVE sections
- Placing: left, right, middle, left + right



499S Cylinder lock

204 €

T09-005-0065

- Silver outside, galvanized inside
- Flush-mounted knob on outside
- Not for FVE sections
- Placing: left, right, middle, left + right



499 Pendulum rod (pair)

20 €

T09-040-65-0143

- Extra long lock rod for 499B and 499S
- Can be used for wider doors (W = 2500 - 5000 mm) and/or for excentric positioning of the lock
- Galvanized steel
- Weight 0,5 kg/pc; L = 1200 - 2350 mm/pc



466 Handgrip single-sided

3 €

T09-040-65-0088

- Rounded, black, plastic
- To be installed on panel
- 1st piece in basic price
- Placing: left, right, middle

1 pc of this handgrip is in Guardy door basic price already included.



467 Handgrip double-sided

6 €

T09-040-70-0143

- Rounded, black, plastic
- To be installed on panel
- Placing: left, right, middle



468 Handgrip double-sided

37 €

T09-040-65-0087

- Oval, black, plastic
- Handgrip is to be inserted into hole that is cut in the panel
- Not for FVE
- Placing: left, right, middle, left + right



460 Handgrip double-sided

12 €

T09-040-65-0009

- Black, plastic
- Handgrip is to be inserted into hole that is cut in the panel
- Not for FVE
- Placing: left, right, middle, left + right




463 Handgrip double-sided

20 €

T09-040-65-0106

- Rectangular, black, plastic
- Built into panel
- Not for FVE
- Placing: left, right, middle, left + right



469B Handgrip double-sided

40 €

T09-040-65-0141

- Round, Aluminum black coated
- Handgrip is to be inserted into hole that is cut in the panel
- Not for FVE
- Placing: left, right, middle, left + right



WB800 ZS30 / ZS40

376 € (ZS30)	395 € (ZS40)
T09-051-10-0045	T09-051-10-0046

- Motorhead WB800, 800 N, 230 V, 2 pcs 3-channel hand transmitter, 868 MHz
- ZS30 (steel track with toothed belt) max. door height 2375 mm
- ZS40 (steel track with toothed belt) max. door height 3000 mm



BLACK1200 ZS30 / ZS40

876 € (ZS30)	943 € (ZS40)
T09-051-10-0042	T09-051-10-0043

- Motorhead BLACK1200, 1000 - 1200 N
- 2pcs 3-channel hand transmitter, 433 MHz
- For underground garages (with up to 50 parking spaces)
- Automatic closing
- Option of connecting traffic light controls
- ZS30 (steel track with toothed belt) max. door height 2375 mm
- ZS40 (steel track with toothed belt) max. door height 3000 mm




TORMATIC DRIVES' ACCESSORIES

External release

43 €

T09-051-40-0006

- External release for sectional door with ceiling operator (necessary if there is no other entrance in the room)
- Key cylinder and cover
- Ground aluminium appearance



External release

33 €

T09-051-40-0007

- External release for sectional door with ceiling operator (necessary if there is no other entrance in the room)
- Round key cylinder ø 20 mm




DF 450

22 €

T09-051-40-0002

- Door fitting for SL



External receiver, Tormatic

111 €

T09-051-50-0019, 868 MHz

T09-051-50-0003, 433 MHz

- Receiver, 868 MHz, one relay output
- KeeLoq hopping code
- Connection voltage 12-24 V
- For external installation



Code keyboard DigiCode

154 €

T09-051-50-0020, 868 MHz

T09-051-50-0012, 433 MHz

- Foil keyboard
- Wireless
- KeeLoq hopping code



Wall remote control DuoControl

74 €

T09-051-50-0021, 868 MHz

T09-051-50-0014, 433 MHz

- 2-channel touch control
- Wireless
- KeeLoq hopping code



TORMATIC DRIVES' ACCESSORIES

KT 3/1 AP

51 €
T09-051-50-0005

- Key switch on plaster



KT 3/1 UP

51 €
T09-051-50-0006

- Key switch under plaster



Traffic light control

548 €
T09-051-50-0008

- Traffic light controls
- For BLACK 1200



Light barrier Tormatic

52 €
T09-051-60-0001

- Up to 8m range
- IP45
- 24 V AC/DC
- Autotesting function



Remote control Tormatic

38 €
T09-051-50-0024, 868 MHZ
T09-051-50-0025, 433 MHZ

- 3-channel hand transmitter
- KeeLoq hopping code



Signal lamp

87 €

T09-051-40-0004

- Signal light green
- 230 V/50 Hz



87 €

T09-051-40-0003

- Signal light red
- 230 V/50 Hz



Spiral cable

92 €

T09-050-30-0003

- Spiral cable 1000/350-900
- Cable with connection box and plugs



TORMATIC DRIVES' ACCESSORIES

ALU TH

- Aluminium track with chain guide

For door height max. 3000 mm	259 € T09-051-10-0018
---------------------------------	--------------------------

For door height max. 3750 mm	352 € T09-051-10-0017
---------------------------------	--------------------------

For door height max. 4750 mm	402 € T09-051-10-0015
---------------------------------	--------------------------



Cube 1100N

284 €
T09-050-14-0001

- 1100N, 230V
- max. doorleaf area 11m²
- 868 MHz
- incl. rail 3500mm and 2pc remote controls
- max. door height 2500mm

Cube 1100N

297 €
T09-050-14-0002

- 1100N, 230V
- max. doorleaf area 11m²
- 868 MHz
- incl. rail 4000mm and 2pc remote controls
- max. door height 3000mm



Remote control, Cube

32 €
T09-050-13-0004

- 868 MHz
- 4 channel



Wall switch, Cube

31 €
T09-050-14-0005

- 868 MHz
- 3 channel



Keypad, Cube

67 €
T09-050-14-0004

- 868 MHz



ACCESSORIES CUBE

Warning light, Cube

41 €

T09-050-14-0007

- yellow warning light
- 12-240V AC/DC



Photocells, Cube

66 €

T09-050-14-0006

- working range 15m



External receiver, Cube

62 €

T09-050-14-0003

- 3 channel
- 868 MHz



Wifi modul, Cube

69 €

T09-050-14-0008

- for operating through application



Comfort 260 Speed

279 €
T09-051-20-0001

- 650N, 230V
- max. doorleaf area <9m²
- incl. 1pc remote control
- 868 MHz



Comfort 270 Speed

314 €
T09-051-20-0002

- 850N, 230V
- max. doorleaf area <14m²
- incl. 1pc remote control
- 868 MHz



Comfort 280

320 €
T09-051-20-0003

- 1000N, 230V
- max. door weight >14m²
- incl. 1pc remote control
- 868 MHz



Guide rail with belt SZ11

108 €
T09-051-20-0010

- length 3080mm
- max. door height 2250mm



Guide rail with belt SZ12

125 €
T09-051-20-0011

- length 3330mm
- max. door height 2500mm



Guide rail with belt SZ13

158 €
T09-051-20-0012

- length 4090mm
- max. door height 3000mm



ACCESSORIES MARANTEC

Remote Control Digital 572

43 €
T09-051-20-0020

- 2 channel
- 868 MHz



Remote Control Digital 564

45 €
T09-051-20-0021

- 4 channel
- 868 MHz



Remote Control Digital 506

75 €
T09-051-20-0022

- 10 channel
- 868 MHz



DuoControl Digital 520

43 €
T09-051-20-0023

- 2 channel
- 868 MHz



Code Keyboard Digital 526

85 €
T09-051-20-0024

- 868 MHz



External receiver Digital 992

75 €
T09-051-20-0025

- 868 MHz



EM171

128 €
T09-051-20-0026

- Extension module



Extension bar, Marantec

8 €
T09-051-20-0028

- 104-204mm

